



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.	
10/829,132	04/21/2004	Paul D. Starrett	0004515-00008 5474		
22910	7590 02/28/2006		EXAMINER		
BANNER & WITCOFF, LTD.			BRITTAIN, JAMES R		
28 STATE ST 28th FLOOR	KEEI		ART UNIT	PAPER NUMBER	
BOSTON, MA	BOSTON, MA 02109-9601				
			DATE MAILED: 02/28/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/829,132	STARRETT, PAUL D.				
Office Action Summary	Examiner	Art Unit				
	James R. Brittain	3677				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	the mailing date of this communication.  D (35 U.S.C. § 133).				
Status						
, ,	Responsive to communication(s) filed on <u>05 December 2005</u> .					
,	·					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims		•				
4) ☐ Claim(s) 1-28 is/are pending in the application. 4a) Of the above claim(s) 11-16 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 and 17-28 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	n from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the bed drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Art Unit: 3677

#### DETAILED ACTION

#### Election/Restriction

Applicant's election without traverse of Group I in the communication received December 5, 2005 is acknowledged.

Claims 11-16 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Election was made without traverse in the communication received December 5, 2005.

# Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 21-23 are rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

It is not particularly pointed out how the semi-rigid strap in claim 21, lines 3-4 can become rigid in line 5 and when rigid be coiled, since this would contradict the strap being "rigid". It is suggested that "rigid" in line 5 be changed to --semi-rigid-- and the claim is being interpreted in this light. The remaining claims are indefinite because they depend from an indefinite claim.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. §102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 3677

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 19 is rejected under 35 U.S.C. §102(b) as being clearly anticipated by Bingold (US 5159728).

Bingold (figure 1, 1a, 2) teaches disposable handcuff structure comprising two tightly coiled toothed straps 14, 16 and a two slot, toothed socket clasp 21 at about the midpoint of the straps as shown in figure 1. The slots 51, 52 are to permit the straps 14, 16 to be coiled so that the handcuff is more easily carried (col. 9, lines 39-51) and are not used when the handcuff is secured to a prisoner.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. §103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 2, 9, 10, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bingold (US 5159728) in view of Arthur (US 1797539).

Bingold (figure 1, 1a, 2) teaches disposable handcuff structure comprising two tightly coiled toothed straps 14, 16 and a two slot, toothed socket clasp 21 at about the midpoint of the straps as shown in figure 1. The slots 51, 52 are to permit the straps 14, 16 to be coiled so that the handcuff is more easily carried (col. 9, lines 39-51) and are not used when the handcuff is secured to a prisoner. The difference is that there is no banding device to hold the coils in place. However, Arthur (figures 1 and 2) teaches the use of a rubber band 1 to hold the coiled film together and maintain it from unwinding while the film is being stored. Arthur's teaching is an

Art Unit: 3677

example of the well known use of banding devices to keep coiled material from unwinding when stored. It would have been obvious to modify the structure of Bingold so as to further provide the added securement of an elastic band to hold the coils in place in view of Arthur teaching the use of a rubber band 1 to hold coiled material together so as to prevent it from unwinding when stored as being desirable to maintain the coiled material in the storage configuration.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Peden (US 5469813) in view of Geisinger (US 5193254).

Peden (figure 2) teaches a tightly coiled restraint 10 for securing a prisoner by binding both legs together with the restraint 10 and the restraint 10 secured to handcuffs 80. The restraint 10 is tightly coiled so as to be easier to store. The stored configuration is made by rolling the restraint 10 into a coil. The difference is that the restraint is not a single coiled toothed strap with a single slot comprising a handcuff. However, Geisinger (figures 1, 7, 9 and 13) teaches that it is well known to have a handcuff or leg restraint (col. 2, lines 52-56) comprising a single toothed strap 2 with a single slot 3d so as to restrain a prisoner. Geisinger suggests that it is well known to utilize a restraint upon a prisoner that only restrains the hands as being desirable rather than one that immobilizes hands and feet so that the prisoner can still walk while having their hands restrained. It would have been obvious to modify the tightly coiled restraint 10 of Peden so that it is a handcuff that is coiled rather than a leg restraint joined to handcuffs in view of Geisinger teaching that it is well known to utilize handcuffs alone comprising a single toothed strap 2 with a single slot 3d so as to restrain a prisoner while permitting the prisoner to walk.

Claims 1-8, 18 and 21-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peden (US 5469813) in view of Arthur (US 1797539) and Geisinger (US 5193254).

Art Unit: 3677

Peden (figure 2) teaches a tightly coiled restraint 10 for securing a prisoner by binding both legs together with the restraint 10 and the restraint 10 secured to handcuffs 80. The restraint 10 is tightly coiled so as to be easier to store and has more than three coiled loops. The stored configuration is made by rolling the restraint 10 into a coil. The difference is that it lacks a banding device to maintain the coil in place and the restraint is not a single coiled toothed strap with a single slot comprising a handcuff. However, Arthur (figures 1 and 2) teaches the use of a rubber band 1 to hold the coiled film together and maintain it from unwinding while the film is being stored. Arthur's teaching is an example of the well known use of banding devices to keep coiled material from unwinding when stored. Further, Geisinger (figures 1, 7, 9 and 13) teaches that it is well known to have a handcuff or angle restraint (col. 2, lines 52-56) comprising a single toothed strap 2 with a single slot 3d so as to restrain a prisoner. Geisinger suggests that it is well known to utilize a restraint upon a prisoner that only restrains the hands as being desirable rather than one that immobilizes hands and feet so that the prisoner can still walk while having their hands restrained though the restraint can be used to restrain the feet if so desired. It would have been obvious to modify the tightly coiled restraint 10 of Peden so that it has a banding device to further aid in maintaining the stored configuration in view of Arthur teaching the use of a rubber band 1 to hold coiled material together so as to prevent it from unwinding when stored and to modify the prisoner restraint of Peden so that it is a handcuff that is coiled rather than a leg restraint joined to handcuffs in view of Geisinger teaching that it is well known to utilize handcuffs alone comprising a single toothed strap 2 with a single slot 3d so as to restrain a prisoner while permitting the prisoner to walk. In regard to claims 5-8, Peden teaches the coiling of a prisoner restraint so as to have a more easily stored configuration. This teaching is

Art Unit: 3677

applicable to the prisoner restraint of Geisinger so as to render it more easily storable, too. The placement of the socket clasp so as to be either on the inside or outside of the coil is inherent in coiling the restraint depending on which end the coil is begun and there is no advantage in beginning the coil from either end so that it would have been obvious to modify the coiled structure of Peden so as to coil the restraint of Geisinger from either end. Geisinger suggests the use of a very strong nylon product (col. 3, line 63 - col. 4, line 6) to be desirable, thereby rendering obvious the use of nylon or a particular type of nylon such as impact enhanced nylon 66, as these are well known strong materials thereby rendering obvious the choice of nylon found in claims 23 and 24.

Claims 25-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bingold (US 5159728) in view of Arthur (US 1797539) and Peden (US 5469813).

Bingold (figure 1, 1a, 2) teaches disposable handcuff structure comprising two tightly coiled toothed straps 14, 16 and a two slot, toothed socket clasp 21 at about the midpoint of the straps as shown in figure 1. The slots 51, 52 are to permit the straps 14, 16 to be coiled so that the handcuff is more easily carried (col. 9, lines 39-51) and are not used when the handcuff is secured to a prisoner. The difference is that there is no banding device to hold the coils in place and it lacks three tight concentric loops. However, Arthur (figures 1 and 2) teaches the use of a rubber band 1 to hold the coiled film together and maintain it from unwinding while the film is being stored. Arthur's teaching is an example of the well known use of banding devices to keep coiled material from unwinding when stored. Further, Peden (figure 2) teaches a tightly coiled restraint 10 for securing a prisoner by binding both legs together with the restraint 10 and the restraint 10 secured to handcuffs 80. The restraint 10 is tightly coiled so as to be easier to store

are well known strong materials.

Art Unit: 3677

and has more than three coiled loops. The stored configuration is made by rolling the restraint 10 into a coil with more than three loops. Since it would be a benefit to prevent the coil of Bingold from unwrapping to make it more compact for storage, it would have been obvious to modify the structure of Bingold so as to further provide the added securement of an elastic band to hold the coils in place in view of Arthur teaching the use of a rubber band 1 to hold coiled material together so as to prevent it from unwinding when stored as being desirable to maintain the coiled material in the storage configuration and to further modify the device so that more loops are created by the strap would have been obvious in view of Peden suggesting that the use of a greater number of tightly coiled loops would have been obvious as an extension of the use of looping for storage by Bingold so as to have more loops. Bingold suggests the use of a very strong nylon product (col. 5, lines 17-24) to be desirable, thereby rendering obvious the use of nylon or a particular type of nylon such as impact enhanced nylon 66 (col. 5, line 21), as these

Page 7

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R. Brittain whose telephone number is (571) 272-7065. The examiner can normally be reached on M-F 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on (571) 272-7075. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3677

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James R. Brittain Primary Examiner Art Unit 3677 Page 8

JRB